

LIMBO: A Tool For Modeling Variable Load Intensities Demo Paper

Jóakim v. Kistowski
Karlsruhe Institute of
Technology, Germany
joakim.kistowski
@student.kit.edu

Nikolas Herbst
Karlsruhe Institute of
Technology, Germany
herbst@kit.edu

Samuel Kounev
Karlsruhe Institute of
Technology, Germany
kounev@kit.edu

ABSTRACT

Modern software systems are expected to deliver reliable performance under highly variable load intensities while at the same time making efficient use of dynamically allocated resources. Conventional benchmarking frameworks provide limited support for emulating such highly variable and dynamic load profiles and workload scenarios. Industrial benchmarks typically use workloads with constant or stepwise increasing load intensity, or they simply replay recorded workload traces. In this paper, we present LIMBO - an Eclipse-based tool for modeling variable load intensity profiles based on the Descartes Load Intensity Model [3] as an underlying modeling formalism.

Categories and Subject Descriptors

C.4 [Computer Systems Organization]: Performance of Systems—*Modeling Techniques*

General Terms

Benchmarking, Workload, Modeling

Keywords

Load Intensity Variation, Load Profile, Open Workloads, Meta-Modeling, Transformation, Model Extraction

1. INTRODUCTION

Today's cloud and web-based IT services need to handle huge amounts of concurrent users. Customers access services independently of one another and expect reliable quality-of-service under highly variable and dynamic load intensities. In this context, any knowledge about a service's load intensity profile is becoming a crucial information for managing the underlying IT resource landscape. Load profiles with large amounts of concurrent users are typically strongly influenced by human habits, trends, and events. This includes

strong deterministic factors such as time of the day, day of the week, common working hours and planned events.

Common benchmarking frameworks such as Faban¹, Rain [1], and JMeter² allow job injection rates to be configured either to constant values, stepwise increasing rates (e.g., for stress tests), or rates based on recorded workload traces.

The tool we present in this paper aims at closing the gap between highly dynamic load intensity profiles observed in real life and the current lack of support for flexible handling of variable load intensities in benchmarking frameworks.

In [3], we introduce two modeling formalisms at different abstraction levels: At the lower abstraction level, the *Descartes Load Intensity Model* (DLIM) offers a structured and accessible way of describing the load intensity over time by editing and combining mathematical functions. The *High-Level DLIM* (HLDLIM) allows the description of load variations using few defined parameters that characterize the seasonal patterns, trends, as well as bursts and noise elements.

In this demo paper, we present LIMBO³ - an Eclipse-based tool for handling and instantiating load intensity models based on DLIM. LIMBO offers an accessible way of editing DLIM instances and extracting them from existing traces. It also supports using HLDLIM parameters for easy creation of new DLIM instances through a model creation wizard. An example load profile of a DLIM instance is shown in Fig.1.




Figure 1: An example load profile of a DLIM instance plotted by LIMBO.

2. DEFINITION OF LOAD INTENSITY

In this work, *load intensity* is a discrete function describing *arrival rates* of workload units over time. We assume

¹Faban <http://faban.org>

²JMeter <http://jmeter.apache.org>

³LIMBO <http://www.descartes-research.net/tools/>

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage, and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s). Copyright is held by the author/owner(s).

ICPE'14, March 22–26, 2014, Dublin, Ireland.

ACM 978-1-4503-2733-6/14/03.

<http://dx.doi.org/10.1145/2568088.2576092>

that the work units are of a homogeneous type and define the *arrival rate* $r(t)$ at time t as follows:

$$r(t) = R'(t)$$

with $R(t) = |\{u_{t_0} | t_0 \leq t\}|$

where $R(t)$ is the amount of all *work units* u_{t_0} , with their respective *arrival time* t_0 , that have arrived up until time t .

3. LIMBO

LIMBO allows editing of load intensity models based on DLIM and supports guided model creation using the parameters defined in HLDLIM.

3.1 Descartes Load Intensity Model

DLIM describes request arrival rates over time and offers a way to define a piece-wise mathematical function for the approximation of variable arrival rates with support for (partial) periodicity, flexibility and composability.

3.2 High-Level DLIM

HLDLIM offers abstracted knowledge about load intensity variations modeled through a limited number of workload parameters. Inspired by the time series decomposition approach in BFAST [2], a HLDLIM instance describes a *Seasonal* and *Trend* part. Additionally, it features a *Burst* and *Noise* part.

3.3 Implementation

The tooling for DLIM and HLDLIM models is realized as a plug-in for the Eclipse IDE. It provides an editor for the creation and modification of model instances, as well as additional utilities for using the created models. Using DLIM's EMF-generated code base as a basis, the following features have been implemented:

Model Evaluation: Support for the DLIM function output calculation and manual refinement of model instances.

Modeling Process Assistance: We are currently implementing an automated process for the creation and extraction of DLIM instances. So far, LIMBO provides a model instantiation guidance by means of a wizard.

Utilities: Additional functionality is provided for existing DLIM instances. Including functionality for the generation of arrival rate series from a time-stamp series, and a tool that calculates the difference between an arrival rate trace and a model instance.

LIMBO consists of five individual plug-ins as visualized in Fig. 2:




Figure 2: LIMBO architecture.

1. **DLIM Generator** The `dl原因.generator` plug-in contains the DLIM element interfaces and implementations, as well as their default utilities (e.g., for validation). It also contains model evaluation tools, as well

as arrival rate and time-stamp series generators. It features two extension points:

Exporter extension points supports custom implementations by implementing the `dl原因.exporter.IDl原因.Exporter` interface. Default exporters are contained in the `dl原因.exporter` plug-in.

Extractor extension point allows the addition of extractors for deriving a model instance from an existing trace. Extractors must implement `dl原因.reader.IDl原因.ArrivalRateReader` for their trace parser and `dl原因.extractor.IDl原因.Extractor` for the model instance creator. Default extractors are contained in the `dl原因.extractor` plug-in.

2. **DLIM Generator Edit**

This plug-in contains the providers used by the editor, which provide display specific information, such as the display images and labels of model elements.

3. **DLIM Generator Editor**

The `dl原因.editor` plug-in contains all GUI elements and their utilities. It also contains implicit modeling process knowledge in its GUI.

4. **DLIM Exporter**

The `dl原因.exporter` plugin offers default implementations of the `dl原因.generator` plugin's `dl原因.exporter.IDl原因.Exporter` interface and the `exporter` extension point.

5. **DLIM Extractor**

The `dl原因.extractor` plug-in offers default implementations of the `dl原因.extractor.IDl原因.Extractor` interface and the `extractor` extension point.

Both `extractor` extension point implementations in this plug-in use the provided default `dl原因.reader.ArrivalRateReader` provided by the `dl原因.generator` plug-in.

4. CONCLUSIONS

In this demo paper, we introduce LIMBO: A toolkit for creating and editing of DLIM instances. By enabling the flexible handling of load intensity profiles, we address a strong need in the areas of benchmarking and elastic capacity management. Currently, we are extending LIMBO to support an automatic model-from-trace extraction process.

5. REFERENCES

- [1] A. Beitch, B. Liu, T. Yung, R. Griffith, A. Fox, and D. A. Patterson. Rain: A workload generation toolkit for cloud computing applications. Technical Report UCB/EECS-2010-14, EECS Department, University of California, Berkeley, Feb 2010.
- [2] J. Verbesselt, R. Hyndman, G. Newnham, and D. Culvenor. Detecting trend and seasonal changes in satellite image time series. *Remote Sensing of Environment*, 114(1):106 – 115, 2010.
- [3] J. G. von Kistowski, N. R. Herbst, and S. Kounev. Modeling Variations in Load Intensity over Time. In *Proceedings 3rd International Workshop on Large-Scale Testing (LT 2014), co-located with the 5th ACM/SPEC International Conference on Performance Engineering (ICPE 2014)*. ACM, March 2014. Accepted for Publication.